

FORM B.

Return showing the description and weight of all yarn spun in the Cotton Mills in the Mysore State during the month ending 31st August 1939.

Count of yarn	Weight in pounds of each count	Count of yarn	Weight in pounds of each count	Count of yarn	Weight in pounds of each count
1 ^s	...	14 ^s	45,860	28 ^s	5,796
2 ^s	3,721	14½ ^s	100,369	30 ^s	68,979
3 ^s	...	15 ^s	47,003	32 ^s	47,307
4 ^s	3,730	16 ^s	19,546	35 ^s	...
6 ^s	5,020	16½ ^s	..	36 ^s	97,512
6½ ^s	68,273	17 ^s	...	38 ^s	9,603
7 ^s	...	18 ^s	13,237	40 ^s	21,000
8 ^s	38,462	18½ ^s	...	42 ^s	24,112
8½ ^s	159,537	19 ^s	99,821	44 ^s	17,449
9 ^s	...	20 ^s	360,448	46 ^s	...
10 ^s	4,266	20½ ^s	69,063	50 ^s	682
10½ ^s	168,883	21 ^s	143,854	60 ^s	95
11 ^s	24,145	21½ ^s	...	80 ^s	73
11½ ^s	...	22 ^s	10,676		
12 ^s	47,061	22½ ^s	...		
12½ ^s	104,505	24 ^s	63,497		
13 ^s	...	26 ^s	7,761		
13½ ^s	11,992	27 ^s	3,566	Total ...	1,916,904

BANGALORE,
Dated 11th October 1939.

V. VENKATACHAR,
For Director.

MYSORE STATE DEPARTMENT OF PUBLIC HEALTH.

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE
FOR THE WEEK ENDED THURSDAY, OCTOBER 12, 1939.

A total of 27 attacks with 16 deaths from Plague was returned during the week against 31 attacks with 19 deaths in the previous week. Mysore City reported 6 attacks with 2 deaths, while Bangalore City and Kolar Gold Field Area continued to remain free from the disease. Comparative figures for the corresponding weeks in 1938 and 1937 were 52 attacks with 37 deaths and 15 attacks with 10 deaths, respectively.

A total of 1 attack with nil death from Small-pox was reported from Mysore City.

Seven attacks with 5 deaths from Cholera were reported from a village of Hole-Narsipur Taluk.

A fatal case from Influenza was reported from Bangalore City.

The State remained free from Relapsing Fever.

The total mortality for Bangalore City amounted to 130 (58 in hospitals), representing a calculated death-rate of 31.1 (17.2 excluding hospital deaths) per mille of population as against 29.7 for the corresponding week of last year. Classified according to causes, the deaths numbered—2 under Typhoid, 2 under Other Fevers, 4 under Phthisis, 21 under Dysentery and Diarrhoea and 101 under all other causes. The reported mortality was normal.

During the week, the Civil and Military Station, Bangalore, returned 54 deaths (15 in hospitals), representing a calculated death-rate of 19.1 (13.8 excluding hospital deaths), per mille of population as against 30.1 for the corresponding week of last year. Classified according to causes, the deaths were—Malaria 1, Broncho-Pneumonia 1, Pneumonia 10, Phthisis 2, Dysentery and Diarrhoea 11, and all other causes 29. The reported mortality was very low.

The total mortality for Mysore City was 49 (10 in hospitals), representing a calculated death-rate of 20.1 (16.0 excluding hospital deaths) per mille of population as against 32.6 for the corresponding week of last year. Classified according to causes, the deaths were—Plague 2, Phthisis 5, Dysentery and Diarrhoea 6, and all other causes 36. The reported mortality was very low.

There were 44 deaths (11 in hospitals), from all causes in Kolar Gold Field Area equivalent to a calculated death-rate of 27.6 (20.7 excluding hospital deaths) per mille of population as against 34.4 for the corresponding week of last year. Classified according to causes, the deaths numbered—1 under Malaria, 3 under other Fevers, 2 under Phthisis, 2 under Dysentery and Diarrhoea and 36 under all other causes. The reported mortality was normal.

E. R. SUNDARARAJAN,
For Director.